-	Approved For Release 2003/08/11 : SIA-RDP82-00457R003600730006-0	
COUNTR	CLASSIFICATION TO THE TOTAL OF	
COUNTR	1 Control of the Cont	
10110,		
		25X1
DATE OF	CONTENT See below	
	DATE PREPARED17_October 1949 25X1	
PAGES_	1 ENCLOSURES (No. & TYPE)	
REMARK	rs	25X
		o parameter anni de antono de la como de la c
25X1		
	Larly .ugust 1949	
	The officers of the KARLOVAC (Y 12/K 25) military post can	cried
	a new type of service pistol of 9 mm caliber. The pistols bore the following manufacturing arsenal marking: KRAGUJE	5
	"AT S" (Artileriski tehnicki zavod).	
	Fid-August 1949	.
	2. Flame thrower practices by engineer units were observed at the KARLOVAC-KORANA troop training grounds. In engineer sergeant stated that the flame throwers were manufactured in KRAGUJEVAC.	
	TI LINKGO DATO	
< 1	Comment:	
(1	F's previously reported on an ordnance depot and a large ordnance repair shop in KRACUJEVAC, where captured weapon	
	Comment:	
< 1	F's previously reported on an ordnance depot and a large ordnance repair shop in KRACUJEVAC, where captured weapon were repaired in 1946. * It has not leen reported before that new weapons were manufactured in KRAGUJEVAC.	
	This document is hereby regraded to CONFIDENTIAL in accordance with the Director of Central Intelligence to the Archivist of the United States.	
	This document is hereby regraded to CONFIDENTIAL in accordance with the letter of 16 October 1978 from the Director of Central Intelligence to the United States.	s
	This document is hereby regraded to CONFIDENTIAL in accordance with the Director of Central Intelligence to the Archivist of the United States.	
	This document is hereby regraded to CONFIDENTIAL in accordance with the Director of Central Intelligence to the Archivist of the United States.	s
	This document is hereby regraded to CONFIDENTIAL in accordance with the Director of Central Intelligence to the Archivist of the United States.	s